







+91 8972223980

SALES & MARKETING

+91 9239656499

SERVICE

+91 8172090826

OFFICE

Office & Manufacturing Address

Bankra Dotalla Jhilpar, Domjur, Howrah - 711 403, W.B



Cmcskyind



in cmcsky







o cmcskyind ♥ cmcskyind ▶ @cmcskyind

About Us

CMC SKY is one of the leading primary steel packaging Tools manufacturer in India. Guided by a philosophy to produce safe and sustainable steel packaging tools, These are pioneer in quality packaging tools, operating with cutting edge technology in order to meet the stringent requirements of it's reputed customers in India.

CMC SKY has emerged as a large, growing, competitive and multi-products Packaging tools organization by delivering quality material through innovation, excellence and dedication.

The products of the company are manufactured at it's state -of-the-art, integrated. **CMC SKY** has It's own four fully functional steel packaging tools in West Bengal.

CMC SKY superior design, engineering and quality manufacturing process provides the ideal strength and flexibility required in today's steel and Rolling mill industry.

Glimpse of our products

- Pneumatic Operated: Tensioner, Sealer, Combination Tools.
- Manual operated Tools: Sealar, Cutter, Tensioner.
- 👺 🛮 Seal/Clip: Coloured,logo design (as per Design).
- Accessories: Despenser, Balancer, etc.

Our Products Model & Description are given at our products Brochure.









MANUAL TENSIONER TOOLS									
MODEL NO	DESCRIPTION	S WIDTI	TRAP SIZ	ICKNESS	SEALS TYPE	STRAP FINISH	WEIGHT KG		
		Inch	mm	mm					
MT - 1932	Pusher Type Manual Tensioner	5/8 - 1-1/4	16- 32	0.64-0.89	Magnus	Painted & Waxed	3.2 kg		
MT - 127	Windlass Type	1-1/4	32	1.27	Magnus	Painted & Waxed	5.3 kg		
MTH - 1932	Pusher Type Manual Tensioner	3/4 - 1-1/4	19.0- 1.8	0.64-0.89	Magnus	Painted & Waxed	4 kg		
RMT - 1932	Rack & Pinion Type	3/4 - 1-1/4	32.0	0.64-0.89	Magnus	Painted & Waxed	2.7 kg		













MANUAL	. SEALER TOOLS								
MODEL NO	DESCRIPTION	JOIN THPE		STRAP SIZE WIDTH THICKNESS		JOINT EFFICIENCY	WEIGHT KG		
			Inch	mm	mm				
MS-19	Side action	Double Notch	3/4	19.0	0.64-0.89	75 up 80%	3 kg		
MS-25	Side action	Double Notch	1	25	0.64-0.89	75 up 80%	3.2 kg		
MS-32	Side action	Double Notch	1-1/4	32	0.64-0.89	75 up 80%	3.2 kg		
DMS-19	Side action	Down Cut Notch	3/4	19.0	0.64-0.89	75 up 80%	2.9 kg		
DMS-32	Side action	Down Cut Notch	1-1/4	32	0.64-0.89	75 up 80%	3.2 kg		
MSS-32	Side action	Single Notch	1-1/4	32	1.27	75 up 80%	3.0 kg		

PTN-1932



Multi Purpose Pusher type Unlimited Strap take-up

PTN-32H



Heavy Duty Pusher type Unlimited Strap take-up

PS-19



Double Notch
Pneumatic Sealer

PS-32



Single Notch Pneumatic Sealer

PS-32D



Single Notch
Pneumatic Sealer

PS-32H



Doule Notch Pneumatic Sealer

PNEUMATIC TENSIONER TOOLS

,	MODEL NO	DESCRIPTION	WIDTI	STRAP S	I ZE ICKNESS	SEALS TYPE	AIR PRESS- URES	ACHIE- VABLE TENSION	TENSIO- NING SPEED	WEIGHT KG
			Inch	mm	mm					
	PTN-1932	Pusher Type Unlimited Strap take-up	3/4- 1-1/4	19- 32	0.64-0.89	Magnus	60 P.S.I Up to 85 P.S.I	7000 - 8000 N	128 mm/s	4.5 kg
	PTN-32H	Pusher Type Unlimited Strap take-up	1-1/4	32	0.79-1:00	Magnus	65 P.S.I Up to 85 P.S.I	10000- 12000 N	105 mm/s	4.5 kg

PNEUMATIC SEALER TOOL

MODEL NO	DESCRIPTION	JOINT TYPE	WIDT	STRAP	HICKNESS	SEALS TYPE	AIR PRESSURES	JOINT EFFICIENCY	WEIGHT KG
			Inch	mm	mm mm				
PS-19	Normal Cut	Single Notch	3/4	19.0	0.64-0.89	Magnus	60 P.S.I Up to 80 P.S.I	75 up to 78%	3.5kg
PS-32	Normal Cut	Single Notch	1"	25.4	0.64-0.89	Magnus	60 P.S.I Up to 85 P.S.I	75 up to 78%	3.5kg
PS-32D	Normal Cut	Single Notch	1-1/4	32.0	0.64-0.89	Magnus	60 P.S.I Up to 85 P.S.I	75 up to 78%	3.5kg
PS-32H	Upper Cut	Single Notch	1-1/4	32.0	1-1.27	Magnus	75 P.S.I Up to 90 P.S.I	75 up to 78%	4.5 kg









PNEUMATIC COMBINATION TOOLS											
,	MODEL NO	DESCRIPTION	S WIDTI	TRAP SIZE H THICKNESS		SEALS TYPE	AIR PRESS- URES	ACHIE- VABLE TENSION	TENSIO- NING SPEED	WEIGHT KG	AIR
Ì			Inch	mm	mm						
,	СТ-19	Pusher Type Combination Tightening Sealing Cutting	3/4	19.0	0.64-0.89	Magnus	70 P.S.I Up to 85 P.S.I	7000- 8000N	128 mm/s	13.6 kg	4.5-5.5 BAR
	СТ-32	Pusher Type Combination Tightening Sealing Cutting	1 -1/4	32.0	0.64-0.89	Magnus	70 P.S.I Up to 85 P.S.I	7000- 8000N	128 mm/s	13.6 kg	5.5-6.5 BAR
	RCT-19	Pusher Type Combination Tightening Sealing Cutting	1 -1/4	16-19	0.38-0.80	Magnus	70 P.S.I Up to 85 P.S.I	5000- 7000N	128 mm/s	13.6 kg	4.0-5.5 BAR

MANUAL SEALLESS COMBINATION TOOLS											
MODEL NO	DESCRIPTION	JOINT TYPE	STRAP SIZE WIDTH THICKNESS		STRAP TYPE	BASE LENGTH UNDER STRAP	WEIGHT	JOINT EFFICIENCY			
		1112			1112						
			mm	mm		mm					
SCT-1619	Tightening Sealing & Cutting	Sealless	16 -19	0.64-0.079	Apex, Magnus	110	4.2kg	78-80%			



Max Strap Thickness: 0.79-1 mm

Weight: 0.700 kg









Coil Weight: 50Kg Aprox







Applications





Cold Rolled Coil Packaging





Hot Rolled Coil





Glass Packaging





Steel Sheet Packing





Steel Tubes Packing





Palletization







